

FOR HOUSEHOLD, HOSPITAL, INSTITUTIONAL, AND INDUSTRIAL USE.



KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

- Disinfectant
- Cleaner
- Sanitizer
- Fungicide
- Mildewstat
- Virucide*
- Deodorizer
- Bactericide

MILGO PLUS

COMMERCIAL MULTI-PURPOSE DISINFECTANT CLEANER CONCENTRATE

FOR USE AS A CLEANER/DEODORIZER ON NONPOROUS SURFACES THAT HAVE BEEN EXPOSED TO A SEWER BACKUP, FLOODING OR WATER DAMAGE
INHIBITS THE GROWTH OF MOLD & MILDEW

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride	1.65%
Dioctyl dimethyl ammonium chloride	0.66%
Didecyl dimethyl ammonium chloride	0.99%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	2.20%
INERT INGREDIENTS	94.50%
TOTAL	100.00%

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the product container or label with you when calling poison control center or doctor or going for treatment.

Milgo Plus is for use on the following hard non-porous surfaces: countertops, countertop laminates, stovetops*, sinks, appliances*, refrigerators*, microwave ovens (exterior), tables, picnic tables, outdoor furniture, chairs, desks, telephones, highchairs, bed frames, washable walls, cabinets, doorknobs, telephones, shower stalls, tubs and glazed ceramic tiles, whirlpool bath tubs, toilets, portable toilets, glazed porcelain tiling, garbage cans, exhaust fans, refrigerated storage and display equipment, coils and drain pans of air conditioning* and refrigeration equipment* and heat pumps* stainless steel, enameled surfaces, finished woodwork, Formica, laminated surfaces, vinyl, leather and plastic upholstery, bathtubs, showers, shower stalls, sinks, urinals, toilet bowls, toilet bowl surfaces and bathroom fixtures, walls, kennel runs, cages, floors, conductive flooring and other hard non-porous surfaces (such as metal, stainless steel, glazed porcelain, glazed ceramic, sealed stone, fiberglass and plastic). *treatment must be at room temperature

Milgo Plus is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, the AIDS virus), **fungicidal**, and inhibits the growth of mold and mildew and their odors when used as directed. **Milgo Plus** is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. **Milgo Plus** is an effective fungicide against Trichophyton interdigitale (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities.

Milgo Plus kills **Pseudomonas aeruginosa (Pseudomonas)**, **Staphylococcus aureus (Staph)**, **Salmonella enterica (Salmonella)**, **Acinetobacter baumannii (Acinetobacter)**, **Brevibacterium ammoniagenes (Brevibacterium)**, **Campylobacter jejuni (Campylobacter)**, **Community Associated Methicillin-Resistant Staphylococcus aureus (CA-MRSA) (NRS384) (USA300)**, **Community Associated Methicillin-Resistant Staphylococcus aureus (CA-MRSA) (NRS123) (USA400)**, **Enterobacter aerogenes**, **Enterococcus faecalis (Enterococcus)**, **Enterococcus faecalis - Vancomycin resistant (VRE)**, **Escherichia coli (E. coli)**, **ESBL Escherichia coli - (Extended spectrum beta-lactamase producing E. coli)**, **Klebsiella pneumoniae (Klebsiella)**, **Legionella pneumophila**, **Pseudomonas cepacia (Pseudomonas)**, **Salmonella schottmuelleri (Salmonella)**, **Salmonella typhi (Salmonella)**, **Serratia marcescens**, **Shigella dysenteriae (Shigella)**, **Staphylococcus aureus Methicillin-Resistant (MRSA)**, **Staphylococcus aureus Multi-Drug Resistant**, **Staphylococcus aureus - Vancomycin Intermediate Resistant - (VISA)**, **Streptococcus pyogenes (Strep)**, **Vibrio cholerae**, ***Adenovirus Type 5 (Adenovirus)** at 8 ounces per gallon of water, ***Adenovirus Type 7 (Adenovirus)** at 8 oz. per gallon of water, ***Hepatitis B Virus (HBV)**, ***Hepatitis C Virus (HCV)**, ***Herpes Simplex Virus Types 1 & 2 (Herpes)**, ***HIV-1 (the AIDS virus)**, ***Human Coronavirus**, ***Influenza Type A/Brazil (Influenza)**, ***Norwalk Virus (Norovirus)**, ***Respiratory Syncytial Virus (RSV)**, ***Rotavirus**, ***SARS Associated Coronavirus (SARS)** (cause of Severe Acute Respiratory Syndrome), ***Vaccinia (Pox virus)**, **Trichophyton interdigitale (the Athlete's Foot Fungus)**, and **Aspergillus niger**. **Milgo Plus** reduces 99.99% of **Staphylococcus aureus**, and **Klebsiella pneumoniae** in 60 seconds. **Milgo Plus** is a mildewstat at 2 ounces per gallon and will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in the "Directions for Use" section of this label).

PELIGRO: Si no sabe inglés, solicite instrucciones a su supervisor antes de usar este producto.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **(Instrucciones de uso:** El empleo de este producto de manera contraria a lo indicado en su etiqueta constituye una violación de la Ley Federal.)

This product is not for use on medical device surfaces.

PREPARATION OF USE-SOLUTION: Add (mix) 2 oz. per gallon of water (1:64), to disinfect hard, non-porous surfaces. For heavy-duty cleaning use, add (mix) 8 oz. per gallon of water (1:16).

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS: Apply use solution to hard (inanimate) non-porous surfaces thoroughly wetting surfaces as required, with a cloth, mop, sponge, or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse mist pump or trigger sprayer. Spray 6-8 inches from the surface, rub with brush, sponge, or cloth. Do not breathe spray mist. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution daily or more frequently if use solution becomes visibly diluted or soiled. Thoroughly rinse all surfaces which come into contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product is not to be used on glassware, dishware, cookware and utensils.

SANITIZING NON-FOOD CONTACT SURFACE DIRECTIONS: Add 0.5 oz. of **Milgo Plus** per gallon of water, to sanitize hard non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds. Let air dry. Do not use in food preparation, food handling and food storage areas. This product is not to be used on glassware, dishware, cookware and utensils.

KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Clean-up must always be done wearing protective latex gloves, gowns, masks and eye protection.

CLEANING PROCEDURE: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of **Milgo Plus**.

CONTACT TIME: Leave surface wet for 2 minutes with (2 ounces per gallon) use-solution. Use a 10 minute contact time for disinfection against all other virus, bacteria, and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

MOLD AND MILDEW CONTROL: At 2 ounces per gallon **Milgo Plus** will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard nonporous surfaces. Follow disinfection directions. Allow to dry on surface. Repeat when mildew growth returns.

DEODORIZER DIRECTIONS: Air Freshener: Use 2 ounces per gallon of water (1 part **Milgo Plus** to 64 parts water) or desired concentration to clean and deodorize. Thoroughly wet surfaces with a cloth, mop or sprayer and allow to air dry. The **Milgo Plus** solution will effectively neutralize damp musty odors caused by mildew on surfaces in storage areas, basements, closets and bathrooms. The **Milgo Plus** solution is also effective on cooking odors (garlic, fish, onions, etc.) when used to clean walls, floors, countertops, stovetops, sinks, appliances, tables, chairs and cabinets. The **Milgo Plus** solution will eliminate odors from tobacco smoke, musty carpets and spilled beverages in automobiles when used on leather, vinyl, plastic, metal, and stainless steel surfaces. Treatment of food contact surfaces, such as countertops, stovetops, appliances and tables, must be followed with a potable water rinse. This product is not to be used on glassware, dishware, cookware and utensils. **Carpets:** Test hidden area for color fastness. 2-4 ounces per gallon of shampoo solution eliminates odors associated with urine, vomit, smoke, and mildew. Reapply after cleaning for additional freshening effects. Allow to dry.

SEWER BACKUP, WATER DAMAGE: To clean and deodorize, use 4 ounces per gallon of water. Spray over affected areas before and after cleaning and extraction. Use proper ventilation; open windows. **For Professional Use Only:** For use by Mold Remediation Workers, Mold Remediation Contractors, Certified Mold Remediators, Certified Mold Contractors, Certified Mold Remediation Contractors, Applied Microbial Remediation Technicians, Certified Mold Professionals, Certified Restorers, and Mold Remediation Companies. **Cleaning Solution:** Dilute 4-8 ounces per gallon of water for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, mopping floors and large routine applications. Treatment of food contact surfaces must be followed with a potable water rinse.

TO TREAT CARPETS AGAINST ODOR-CAUSING BACTERIA, FOR HOME, INSTITUTIONAL, INDUSTRIAL AND HOSPITAL USE: Use this product on carpets to control the growth of odor-causing bacteria and fungi. It can be used in industrial and institutional areas such as homes, motels, hotel chains. Vacuum carpet thoroughly prior to application. Mix 2 ounces of **Milgo Plus** per gallon of water. Follow the injection and/or extraction procedures as specified for any conventional steam cleaning equipment you are using. For rotary floor machines, mix 4 ounces of **Milgo Plus** per gallon of water and spray on carpet at a rate of 300-500 square feet per gallon. For use on washable synthetic fibers. **Do not use on wool.** Test color fastness of carpet before use. Apply diluted product to a small-concealed spot, then rub with a clean white cloth.

If color changes or transfers to cloth, a water-based product should not be used. After using the product, set carpet pile in one direction with a stiff brush. Place aluminum foil under the legs of furniture while carpet is drying. Over-wetting can cause carpet to shrink. Manufacturer assumes no responsibility for over-wetting misuse.

NOTE: THIS PRODUCT IS NOT TO BE MIXED WITH OTHER PRODUCTS
PERSONAL PROTECTIVE EQUIPMENT: To Clean and Disinfect: Use 2 ounces of **Milgo Plus** per gallon of water to clean and disinfect nonporous personal protective safety equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, hearing protectors and ear muffs. Treated surfaces must remain wet for 10 minutes. Rinse equipment with clean warm water (about 120°F) and allow to air dry prior to reuse. **(Caution:** cleaning at 120°F temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement).

To Sanitize: Add 0.5 oz. of **Milgo Plus** per gallon of water. Treated surfaces must remain wet for 60 seconds. Allow to air dry. Rinse equipment with clean warm water (about 120°F) and allow to air dry prior to reuse.

NOTE: Use in conjunction with the use instructions provided with the safety equipment to avoid damaging the equipment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Do not store on side. Avoid creasing or impacting of side walls. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 70385-6
E.P.A. EST. NO. 37615-AZ-1

DRIE-AZ MILGO PLUS 1 GAL



8 47136 00050 0
0722 118059 F

REORDER: 109285 (F447)

NET CONTENTS - 1 US GALLON/3.8 LITRES

Sold by: ProRestore™ Products 15180 Josh Wilson Road, Burlington, WA 98233 • 800-932-3030