

Safety Data Sheet

1. Identification

Product Information.	B230
Product Name:	Fluorosil Odor Neutralizer - Mint
Recommended Use.	Professional Carpet Cleaning
Uses advised against.	Professional Use Only
Supplier.	Legend Brands Prochem 15180 Josh Wilson Road Burlington, WA 98233 E-Mail: sds@legendbrands.com 800-932-3030 Legend Brands 4520 Eastgate Parkway Mississauga, ON L4W 3W6 800-932-3030
Emergency telephone number.	INFOTRAC 1-800-535-5053 (North America) +1-352-323-3500 (International)

2. Hazards Identification

Classification in accordance with the Workplace Hazardous Materials Information System (WHMIS) 2015 based on the Hazardous Products Regulations (HPR).

Flam. Liq. 4, Skin Sens. 1

GHS Pictograms



Signal Word

Warning

Unknown Acute Toxicity

< 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Combustible liquid.

May cause an allergic skin reaction.

Precautionary Statements - Prevention.

Keep away from heat. - No smoking.

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use carbon dioxide to extinguish.

Precautionary Statements - Storage.

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal.

Dispose of contents/ container to an approved waste disposal plant.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt. %</u>	<u>HMIRA</u>
ALCOHOLS, C12-15, ETHOXYLATED	68131-39-5	1-5	
Dipropylene glycol monomethyl ether	34590-94-8	1-5	
Isopropyl alcohol	67-63-0	1-5	
BENZOIC ACID, 2-HYDROXY-, METHYL ESTER	119-36-8	0.1-1.0	
SODIUM LAURYL SULFATE	151-21-3	0.1-1.0	
Glutaraldehyde	111-30-8	0.1-1.0	

4. First-aid Measures

Description of first-aid measures.**General advice.**

Call a physician if irritation develops or persists. Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air. If symptoms persist, call a physician. If not breathing, give artificial respiration.

Skin contact.

If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Call a physician if irritation develops or persists. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.**Suitable extinguishing media.**

Water spray. Foam. Dry powder. Dry chemical. Alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO₂).

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

Flash back possible over considerable distance. Hazardous decomposition products formed under fire conditions.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures**Personal precautions, protective equipment and emergency procedures.****Personal precautions.**

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Remove all sources of ignition. Use personal protection recommended in Section 8.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.**Methods for Containment.**

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers. Use personal protective equipment. Remove all sources of ignition.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage**Conditions for safe storage, including any incompatibilities.****Advice on safe handling.**

Handle in accordance with good industrial hygiene and safety practice. Keep away from sources of ignition - No smoking.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place. Store in original container.

8. Exposure Controls/Personal Protection**Ingredients with Occupational Exposure Limits**

<u>Chemical Name</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH-TLV STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
Dipropylene glycol monomethyl ether	100 ppm	150 ppm	100 ppm	N.E.
Isopropyl alcohol	200 ppm	400 ppm	400 ppm	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	Clear
Color	Light green
Odor	Mint
Odor Threshold	No Information
pH	7.5
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	63 (145.40)
Boiling point/boiling range., °C (°F)	83 - 1,461 (181.4 - 2661.8)
Evaporation rate	No Information
Explosive properties.	No Information
Vapor pressure.	No Information
Vapor density.	No Information
Specific Gravity. (g/cm ³)	1.001
Water solubility.	Soluble
Partition coefficient.	No Information
Autoignition temperature., °C	No Information
Decomposition Temperature °C.	No Information
Viscosity, kinematic.	No Information

Other information.

Volatile organic compounds (VOC) content.	0.07% at 2 oz/gallon
Density, lb/gal	No Information

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

Strong oxidizing agents.

Incompatible Materials.

None known based on information supplied.

Hazardous Decomposition Products.

Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 53,333.3 mg/kg

ATEmix (dermal) 83,333.3 mg/kg

Component Information.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>LD50 Oral</u>	<u>LD50 Dermal</u>	<u>LC50 Inhalation</u>
68131-39-5	ALCOHOLS, C12-15, ETHOXYLATED	1600 mg/kg Rat	2500 mg/kg Rabbit	22 mg/l (Vapor)
34590-94-8	Dipropylene glycol monomethyl ether	5400 uL/kg	9500 mg/kg Rabbit	N.I.
67-63-0	Isopropyl alcohol	5840 mg/kg (Rat)	13,900 mg/kg (Rabbit)	N.I.
119-36-8	BENZOIC ACID, 2-HYDROXY-, METHYL ESTER	890 mg/kg - rat	5005 mg/kg	N.I.
151-21-3	SODIUM LAURYL SULFATE	1288 mg/kg Rat	200 mg/kg Rabbit	>3.9 mg/L Rat (Dust)
111-30-8	Glutaraldehyde	252 mg/kg Rat	1800 mg/kg Rabbit	40.1 ppm, 23.5 ppm Rat (Gas/ Mist)

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

3.48% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Dipropylene glycol monomethyl ether 34590-94-8	-	LC50 96 h Pimephales promelas >10000 mg/L	LC50 48 h Daphnia magna 1919 mg/L
Isopropyl alcohol 67-63-0	EC50 96 h Desmodemus subspicatus >1000 mg/L, EC50 72 h Desmodemus subspicatus >1000 mg/L	LC50 96 h Pimephales promelas 9640 mg/L, LC50 96 h Pimephales promelas 11130 mg/L, LC50 96 h Lepomis macrochirus >1400000 µg/L	EC50 48 h Daphnia magna 13299 mg/L
SODIUM LAURYL SULFATE 151-21-3	EC50 72 h Desmodemus subspicatus 53 mg/L, EC50 96 h Desmodemus subspicatus 30 - 100 mg/L, EC50 96 h Pseudokirchneriella subcapitata 117 mg/L, EC50 96 h Pseudokirchneriella subcapitata 3.59 - 15.6 mg/L	LC50 96 h Pimephales promelas 15 - 18.9 mg/L, LC50 96 h Pimephales promelas 8 - 12.5 mg/L, LC50 96 h Pimephales promelas 22.1 - 22.8 mg/L, LC50 96 h Oncorhynchus mykiss 4.3 - 8.5 mg/L, LC50 96 h Oncorhynchus mykiss 4.62 mg/L, LC50 96 h Oncorhynchus mykiss 4.2 mg/L, LC50 96 h Brachydanio rerio 7.97 mg/L, LC50 96 h Brachydanio rerio 9.9 - 20.1 mg/L, LC50 96 h Lepomis macrochirus 4.06 - 5.75 mg/L, LC50 96 h Lepomis macrochirus 4.2 - 4.8 mg	EC50 48 h Daphnia magna 1.8 mg/L
Glutaraldehyde 111-30-8	EC50 72 h Desmodemus subspicatus 0.61 mg/L, EC50 96 h Desmodemus subspicatus 0.84 mg/L	LC50 96 h Lepomis macrochirus 7.8 - 22 mg/L, LC50 96 h Oncorhynchus mykiss 2.6 - 4.8 mg/L, LC50 96 h Oncorhynchus mykiss 7.8 - 13 mg/L, LC50 96 h Pimephales promelas 5.4 mg/L	EC50 48 h Daphnia magna 14 mg/L, EC50 48 h Daphnia magna 0.56 - 1.0 mg/L

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	log POW
34590-94-8	Dipropylene glycol monomethyl ether	-0.064
67-63-0	Isopropyl alcohol	0.05
119-36-8	BENZOIC ACID, 2-HYDROXY-, METHYL ESTER	2.55
151-21-3	SODIUM LAURYL SULFATE	1.6
111-30-8	Glutaraldehyde	0.22

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Hazard Class: Not regulated

IMDG

Hazard Class: Not regulated

IATA

Not regulated

15. Regulatory Information

International Inventories:

TSCA Complies

DSL Complies

DSL/NDSL Complies

EINECS/ELINCS -

ENCS -

IECSC -

KECI -

PICCS -

AICS -

NZIoC -

TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.

IECSC China Inventory of Existing Chemical Substances.

KECL Korean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AICS Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

CANADIAN WHMIS:

This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class B2,D2B,E

16. Other Information

Revision Date: 5/29/2020 **Supersedes Date:** New SDS

Reason for revision: Periodic review

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health:	3	Flammability:	2	Physical Hazard:	0	Personal Protection:	B
----------------	---	----------------------	---	-------------------------	---	-----------------------------	---

NFPA Ratings:

Health:	3	Flammability:	2	Instability:	0	Physical & Chemical:	-
----------------	---	----------------------	---	---------------------	---	---------------------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

