

Safety Data Sheet

1. Identification

Product Information. 102469

Product Name: odorx Crystal Odor Counteractant Commercial Cherry

Recommended Use. Professional Deodorizer

Uses advised against. Professional Use Only

Supplier. Legend Brands

ProRestore Products 15180 Josh Wilson Road Burlington, WA 98233

E-Mail: sds@legendbrands.com

800-932-3030

Legend Brands

4520 Eastgate Parkway Mississauga, ON L4W 3W6

800-932-3030

Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)

+1-352-323-3500 (International)

2. Hazards Identification

Classification in accordance with the Workplace Hazardous Materials Information System (WHMIS) 2015 based on the Hazardous Products Regulations (HPR).

Carcinogenicity, category 1A Eye Irritation, category 2A Skin Irritation, category 2

STOT, repeated exposure, category 1

GHS Pictograms





Signal Word

Danger

Unknown Acute Toxicity

< 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Precautionary Statements - Storage.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents/ container to an approved waste disposal plant.

3. Composition/Information on Ingredients

Chemical Name	CAS-No.	<u>Wt. %</u>	<u>HMIRA</u>	
BENTONITE	1302-78-9	30-60		
Amorphous Silica	7631-86-9	7-13		
Distillates, petroleum, hydrotreated light	64742-47-8	3-7		
Aluminum Oxide	1344-28-1	3-7		
Iron oxide	1309-37-1	1-5		
BENZALDEHYDE	100-52-7	1-5		
Crystalline silica (Quartz) (Respirable)	14808-60-7	1-5		
CALCIUM OXIDE/LIME	1305-78-8	1-5		
AMYL ACETATE	628-63-7	0.5-1.5		
Potassium oxide	12136-45-7	0.1-1.0		
Naphtha, petroleum, hydrotreated heavy	64742-48-9	0.1-1.0		
Titanium dioxide	13463-67-7	0.1-1.0		

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

No information available.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

Chemical Name	ACGIH TLV-TWA	ACGIH-TLV STEL	OSHA PEL-TWA	OSHA PEL-CEILING
Aluminum Oxide	N.E.	N.E.	15 mg/m ³	N.E.
Iron oxide	5 mg/m ³	N.E.	10 mg/m ³	N.E.
Crystalline silica (Quartz) (Respirable)	0.025 mg/m ³	N.E.	50 μg/m ³	N.E.
CALCIUM OXIDE/LIME	2 mg/m ³	N.E.	5 mg/m ³	N.E.
AMYL ACETATE	50 ppm	100 ppm	100 ppm	N.E.
Titanium dioxide	10 mg/m ³	N.E.	15 mg/m ³	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical statePowderAppearanceCrystallineColorBlack and beige

Odor Cherry

Odor Threshold

PH

Not applicable

Melting/freezing point., °C (°F)

Flash Point., °C (°F)

Boiling point/boiling range., °C (°F)

No Information

No Information

Evaporation rate No Information Available

Explosive properties. No Information Vapor pressure. No Information Vapor density. No Information Specific Gravity. (g/cm³) Not Applicable Water solubility. No Information Partition coefficient. No Information Autoignition temperature.,°C No Information Decomposition Temperature °C. No Information Viscosity, kinematic. No Information

Other information.

Volatile organic compounds (VOC) content. 8%

Density, Ib/gal No Information

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

None known.

Incompatible Materials.

None known based on information supplied.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

LD50 Oral LD50 Dermal LC50 Inhalation (Vapor)

3,121.00 mg/kg 9,232.00 mg/kg 2,233.02 mg/l

Component Information.

CAS-No.	Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
1302-78-9	BENTONITE	N.I.	0	20 (Vapor)
7631-86-9	Amorphous Silica	7900 mg/kg Rat	>2000 mg/kg Rabbit	N.I.
1344-28-1	Aluminum Oxide	>5000 mg/kg Rat	N.I.	N.I.
100-52-7	BENZALDEHYDE	1292 mg/kg Rat	>1250 mg/kg Rabbit	N.I.
1305-78-8	CALCIUM OXIDE/LIME	500 mg/kg Rat	N.I.	N.I.
628-63-7	AMYL ACETATE	6500 mg/kg Rat	N.I.	N.I.
64742-48-9	Naphtha, petroleum, hydrotreated heavy	>6000 mg/kg Rat	>3160 mg/kg Rabbit	N.I.

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

CAS-No.	Chemical Name	<u>IARC</u>	<u>NTP</u>	<u>OSHA</u>
7631-86-9	Amorphous Silica	IARC Group 3	-	-
1309-37-1	Iron oxide	IARC Group 3	-	-
14808-60-7	Crystalline silica (Quartz) (Respirable)	IARC Group 1	NTP Known Human Carcinogen	-
13463-67-7	Titanium dioxide	IARC Group 2B	-	-

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

9.00% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	
BENTONITE		LC50 96 h Oncorhynchus mykiss	•	
1302-78-9	-	19000 mg/L	-	
Amorphous Silica	EC50 72 h Pseudokirchneriella	LC50 96 h Brachydanio rerio	EC50 48 h Ceriodaphnia dubia	
7631-86-9	subcapitata 440 mg/L	5000 mg/L	7600 mg/L	
Distillates, petroleum,		LC50 96 h Pimephales promelas		
hydrotreated light	_	45 mg/L, LC50 96 h Lepomis	_	
64742-47-8		macrochirus 2.2 mg/L, LC50 96 h		
		Oncorhynchus mykiss 2.4 mg/L		
Iron oxide	_	LC50 96 h Danio rerio 100000	_	
1309-37-1		mg/L		
		LC50 96 h Oncorhynchus mykiss		
		10.6 - 11.8 mg/L, LC50 96 h		
DENIZAL DELIVE		Oncorhynchus mykiss 12.69 mg/		
BENZALDEHYDE	_	L, LC50 96 h Lepomis	-	
100-52-7		macrochirus 0.8 - 1.44 mg/L,		
		LC50 96 h Pimephales promelas		
		6.8 - 8.53 mg/L, LC50 96 h		
CALCIUM OXIDE/LIME		Lepomis macrochirus 7.5 mg/L LC50 96 h Cyprinus carpio 1070		
1305-78-8	-	mg/L	-	
AMYL ACETATE		LC50 96 h Lepomis macrochirus		
628-63-7	-	650 mg/L	-	
Naphtha, petroleum,		Ĭ		
hydrotreated heavy	_	LC50 96 h Pimephales promelas	_	
64742-48-9		2200 mg/L		

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.Chemical Namelog POW100-52-7BENZALDEHYDE1.48

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Packing Group:

IMDG No Information

IATA No Information

15. Regulatory Information

International Inventories:

TSCA DSL DSL/NDSL EINECS/ELINCS ENCS IECSC KECI PICCS -

NZIoC TCSI

AICS

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

 ENCS
 Japan Existing and New Chemical Substances.

 IECSC
 China Inventory of Existing Chemical Substances.

 KECL
 Korean Existing and Evaluated Chemical Substances

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AICS Australian Inventory of Chemical Substances.

NZIOC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

CANADIAN WHMIS:

This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class D2A

16. Other Information

Revision Date: 6/23/2021 Supersedes Date: New SDS

Reason for revision: No Information

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health:	3	Flammability:	0	Physical Hazard:	0	Personal Protection:	Х	
NFPA Ratings:								

•								
	Health:	3	Flammability:	0	Instability:	0	Physical & Chemical:	-

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.