# CHEMSPEC

## Chemical Specialties Manufacturing Corporation

901 N. Newkirk Street / Baltimore, MD 21205 / (800) 638-7370

## MATERIAL SAFETY DATA SHEET

(Prepared according to 29 CFR 1910.1200)

Degree of hazard: 4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Insignificant Flammability: 0\* Reactivity: 0 Health: 1 \* = Product has been tested per 16 CFR 1500.45 for aerosols; there was no flame extension.

## **SECTION I: PRODUCT IDENTIFICATION**

**PRODUCT NAME:** Aerosol Chewing Gum Remover DOC CODE: N/A **CHEMICAL FAMILY:** Mixture EMERGENCY 24-HOUR TELEPHONE # 1-800-424-9300 (CHEMTREC) N/A = Not applicable or Not available.

N/D = Not determined.

DATE REVIEWED: June 12, 2009

#### SECTION II: COMPOSITION/ INFORMATION ON INGREDIENTS

This product has not been tested as a whole for health effects on animals or humans. According to the OSHA Hazardous Communications Standard (29 CFR 1910.1200) any hazardous ingredients that comprise >1.0% of the material and any carcinogenic ingredients that comprise >0.1% must be listed on the MSDS. When individually tested at 100% ingredients in the make-up of this product posed the following health hazards.

#### **SECTION II a: HAZARDOUS INGREDIENTS >1.0%**

Chemical Name	CAS #	OSHA PEL	ACGIH TLV	Percentage
Ethane, 1,1,1,2-tetrafluoro-	811-97-2	N/A	N/A	>95%

SECTION II b: CARCINOGENIC INGREDIENTS AT >0.1% None.

#### SECTION III: HAZARDS IDENTIFICATION

EYES: May cause eye irritation.

SKIN: May cause skin irritation or frostbite.

INHALATION: May cause upper respiratory irritation.

INGESTION: May cause abdominal discomfort, nausea and diarrhea.

#### SECTION IV: FIRST AID PROCEDURES

EYES: INGESTION:	Remove contacts. Flush with water for at least 15 minutes. If irritation persists consult physician. Ingestion is not applicable. Product is a gas at ambient temperatures
INHALED:	Remove to fresh air. If symptoms persist or are severe seek prompt medical assistance.
SKIN:	Remove contaminated clothing. Flush with lukewarm water. If frostbitten, consult physician.
PHYSICIAN:	Treatment based on judgment of attending physician.

### SECTION V: FIRE AND EXPLOSION DATA

FLASH POINT: No flame extension. AUTO-IGNITION TEMPERATURE: N/D

EXPLOSIVE LIMITS - UEL: N/D LEL: N/D

EXTINGUISHING MEDIA: Any standard extinguishing media (alcohol foam, water spray or fog, CO<sub>2</sub> dry chemical, etc.). SPECIAL FIRE FIGHTING PROCEDURES: Use NIOSH/MSHA approved self-contained positive pressure breathing apparatus and protective clothing where this material is involved in a fire. UNUSUAL FIRE AND EXPLOSION HAZARD: None known.

## SECTION VI: ACCIDENTAL RELEASE MEASURES

Use Halogen leak detector or other suitable means to locate leaks or check atmosphere. Keep upwind and operate from safe distance. Evacuate enclosed spaces and disperse gas with ventilation. Remove flames and heating elements. Consult regulatory specialist to determine reporting requirements and hazardous waste disposal.

#### SECTION VII: HANDLING AND STORAGE

Avoid heat, flame, and sparks. Keep container closed to avoid contamination.

## SECTION VIII: PROTECTION MEASURES

VENTILATION: Local exhaust or dilution ventilation is necessary in poorly ventilated areas.

GLOVES: Chemical resistant gloves.

RESPIRATORY: When mists or aerosols are anticipated, wear NIOSH/MSHA approved respirator equipped with organic vapor cartridges with high-efficiency particulate filters.

EYE: Safety glasses. Wear splash goggles when mists or aerosols are anticipated.

OTHER PROTECTIVE EQUIPMENT: Body-covering clothing should be worn.

#### SECTION IX: PHYSICAL/CHEMICAL DATA

APPEARANCE AND ODOR: Transparent gas with ether odor. % VOLATILE BY WT.: 100% SPECIFIC GRAVITY: 1.21 BOILING POINT: -15.5°F (-26.4°C) pH: N/A WT/GAL: N/D

#### **SECTION X: REACTIVITY DATA**

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITY: Strong oxidizers and alkaline earth metals.

HAZARDOUS DECOMPOSITION/COMBUSTION PRODUCTS: Oxides of carbon, HCL, HF, carbonyl halides and possibly other unidentified organic compounds.

#### SECTION XI: TOXICOLOGICAL INFORMATION OF INGREDIENTS

Ethane, 1,1,1,2-tetrafluoro-: LC50 inhalation rat (4hr): 2360 mg/L.

#### SECTION XII: ECOLOGICAL INFORMATION

Product is not readily biodegradable.

Ethane, 1,1,1,2-tetrafluoro-: LC50 rainbow trout (96hr): 450 mg/L. EC50 daphnia magna (48hr): 930 mg/L.

SECTION XIII: SPILL, LEAK AND DISPOSAL PROCEDURES

WASTE DISPOSAL: In accordance with Federal, state and local regulations. NEUTRALIZING CHEMICALS: Water.

#### SECTION XIV: TRANSPORT INFORMATION PER 49 CFR 172.101

#### **GROUND TRANSPORTATION:**

1,1,1,2-Tetrafluoroethane, Class 2.2, UN 3159.

#### 12-9 oz. case ORM-D.

AIR TRANSPORTATION:

1,1,1,2-Tetrafluoroethane, Class 2.2, UN 3159.

## 12-9 oz. case ORM-D.

## MARITIME TRANSPORTATION:

1,1,1,2-Tetrafluoroethane, Class 2.2, UN 3159. 12-9 oz. case ORM-D.

#### SECTION XV: REGULATORY INFORMATION

Domestic	International:
TSCA: All ingredients are listed on the TSCA chemical	European labeling requirements:
substance inventory.	Symbol: Xi: Irritant.
SARA Section 313 Ingredients: None.	R-Sentences: R36, R37, R38
California Prop 65 Ingredients: None.	S-Sentences: S2, S24, S25, S37, S39
	Canadian: WHMIS Hazard Class: D2B.

#### SECTION XVI: OTHER INFORMATION

One should always use chemicals with awareness of potential hazards, known and unknown, and their effect on the human system. We urge users to minimize employee exposure to all chemicals, including this product and to keep the level of exposure commensurate with good industrial hygiene practices.

#### DISCLAIMER OF LIABILITY

The manufacturer and seller warrants that this product conforms to its standard specifications when used according to directions. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material and the results to be obtained from the use thereof.